

· · · · · · · · · · · · · · · · · · ·	Application No.	Applicant(e)
Notice of Allowability	Application No.	Applicant(s)
	10/662,081	FELDMAN ET AL.
	Examiner	Art Unit
	Donghai D. Nguyen	3729
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>a RCE filed on 11/28/06</u> .		
2. The allowed claim(s) is/are 1.4.5 and 18-29.		
3. ☐ Acknowledgment is made of a claim for foreign priority una) ☐ All b) ☐ Some* c) ☐ None of the:	der 35 U.S.C. § 119(a)-(d) or (f).	
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. Notice of References Cited (PTO-892)	5. Notice of Informal P	atent Application
Notice of Praftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary	
 3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	Paper No./Mail Dat	e
	7. 🗌 Examiner's Amendr	nent/Comment
	8. X Examiner's Stateme	ent of Reasons for Allowance
	9. Other	
•		
		•
•		

Art Unit: 3729

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on November 25, 2006 has been entered.

Allowable Subject Matter

2. Claims 1, 4, 5 18-30 have been fully examined and are allowable over the prior art references. Further the reason of allowance of these claims because of: the prior art taken as a lone or in combination do not teach or suggest the claimed limitations: "creating a sample chamber region within the spacer lager having a plurality of connected sample chambers between the substrate and the second substrate the separating a plurality of electrochemical sensors, each electrochemical sensor comprising at least one working electrode planar with at least one counter electrode on the substrate, the sample chamber having a volume of no more than about 1 microliter and continuous with the at least one sample chamber of an adjacent electrochemical sensor" of the present claims.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 3729

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Donghai D. Nguyen whose telephone number is (571)-272-4566. The examiner can normally be reached on Monday-Friday (9:00-6:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Peter D. Vo can be reached on (571)-272-4690. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

DN

February 1, 2007

PRIMARY EXAMINER